

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20030172370"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:42
L2	1	("6766324").PN.	US-PGPUB; USPAT	OR	OFF	2005/07/15 13:04
L3	2	"20030056022"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:02
L4	312	(717/106).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/15 15:02
L5	984	(719/328).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/15 15:02
L6	833	(719/315).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/15 15:02
L7	2098	(715/513).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/15 15:02
L8	9596	dynamic with (creat\$3 instantiat\$4 generat\$4) with (component module program object class)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:03
L9	22	4 and 8	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:03
L10	40	5 and 8	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:03
L11	97	6 and 8	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:03
L12	127	7 and 8	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:04
L13	278	9 or 10 or 11 or 12	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:04
L14	222	13 and ((specification requirement information description) with (creat\$3 instantiat\$4 generat\$4))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:05

L15	184	14 and ((@ad < "20020306") or (@prad < "20020306") or (@rlad < "20020306"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:06
L16	1	("6766324") PN	US-PGPUB; USPAT	OR	OFF	2005/07/15 15:06
L17	1	("6766324").URPN.	USPAT	OR	ON	2005/07/15 15:06
L18	3	("6597366"   "6633892"   "6684387") PN	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:07